


Gulf of Mexico OCS Oil and Gas Lease Sales 189 and 197

Eastern Planning Area

Draft Environmental Impact Statement

Volume II: Figures and Tables



Gulf of Mexico OCS Oil and Gas Lease Sales 189 and 197

Eastern Planning Area

Draft Environmental Impact Statement

Volume II: Figures and Tables

Author

Minerals Management Service
Gulf of Mexico OCS Region

Published by

**U.S. Department of the Interior
Minerals Management Service
Gulf of Mexico OCS Region**

**New Orleans
November 2002**

TABLE OF CONTENTS

| | Page |
|-----------------------|------|
| LIST OF FIGURES | v |
| LIST OF TABLES | ix |
| FIGURES | 3 |
| TABLES | 51 |
| REFERENCES | 149 |

LIST OF FIGURES

| | Page |
|---|------|
| Chapter 1 | |
| 1-1 Gulf of Mexico Outer Continental Shelf Planning Areas and Locations of Major Cities | 3 |
| 1-2 Lease Status of the Proposed Lease Sale Area | 4 |
| 1-3 Approved and Pending Plans Submitted in the Proposed Lease Sale Area | 5 |
| Chapter 2 | |
| 2-1 Military Warning Areas in the Gulf of Mexico | 6 |
| Chapter 3 | |
| 3-1 Status of Ozone Attainment in the Coastal Counties and Parishes of the Central Gulf of Mexico | 7 |
| 3-2 Breton National Wilderness Area and Other PSD Class I Air Quality Areas in Proximity to the Proposed Lease Sale Area | 8 |
| 3-3 Estuarine Systems of the Gulf of Mexico | 9 |
| 3-4 Multibeam Bathymetric Image of "Double Top" and "Alabama Alps" Pinnacle Features Located along the Mississippi/Alabama Shelf | 10 |
| 3-5 Biological Sample and Survey Locations in the Proposed Lease Sale Area | 11 |
| 3-6 Location of Known Chemosynthetic Communities in the Gulf of Mexico | 12 |
| 3-7 Geographic Locations along the Gulf of Mexico Relevant to Marine Mammals and Sea Turtles | 13 |
| 3-8 Location of the Only Known Site of the Florida Salt Marsh Vole Habitat | 14 |
| 3-9 Areas Closed to Longline Fishing in the Gulf of Mexico | 15 |
| 3-10 Gulf of Mexico Offshore and Coastal Subareas | 16 |
| 3-11 Interstates, Airports, and Railways in the Coastal Subareas | 17 |
| 3-12 Major Ports and Domestic Waterways in the Coastal Subareas | 17 |
| 3-13 OCS-Related Service Bases in the Coastal Subareas | 18 |
| 3-14 Areas with 50 Percent or Greater Minority Populations | 19 |
| 3-15 Areas with 50 Percent or More Households with Annual Incomes of Less Than \$15,000 | 19 |
| Chapter 4 | |
| 4-1 Deepwater Exploration and Production Structures | 20 |
| 4-2 Generic Well Schematic for an Exploration Well in the Proposed Lease Sale Area, Composited from Nearby Industry Developments Projects | 21 |
| 4-3 Existing and Proposed Pipelines Near the Proposed Lease Sale Area | 22 |
| 4-4 Location of Identified Sand Resource Sites Offshore Alabama | 23 |
| 4-5 Study Area for Synthesis of Hard Mineral Resources on the Florida Panhandle Shelf | 24 |
| 4-6 A Comparison of Spill Frequency and Spill Volume for Past OCS Spills by Size Category (1971-1999) | 25 |
| 4-7 Probability of a Particular Number of Offshore Spills $\geq 1,000$ bbl Occurring as a Result of OCS Program Operations Gulfwide during the Years 2003-2042 | 26 |
| 4-8 Probability of a Particular Number of Offshore Spills $\geq 1,000$ bbl Occurring as a Result of OCS Program Operations in the Central Planning Area during the Years 2003-2042 | 27 |

| | | |
|------|--|----|
| 4-9 | Probability of a Particular Number of Offshore Spills $\geq 1,000$ bbl Occurring as a Result of OCS Program Operations in the Western Planning Area during the Years 2003-2042 | 28 |
| 4-10 | Study Area Used to Estimate Spill Risk Associated with a Proposed Action | 29 |
| 4-11 | Mass Balance of a Hypothetical Spill of 4,600 bbl of a Likely Lighter Weight Crude Oil Spilled over 12 Hours from an OCS Pipeline Break at DeSoto Canyon Block 884 during Summer Conditions | 30 |
| 4-12 | Mass Balance of a Hypothetical Spill of 4,600 bbl of a Likely Heavier Weight Crude Oil Spilled over 12 Hours from an OCS Pipeline Break at DeSoto Canyon Block 225 during Winter Conditions | 31 |
| 4-13 | Mass Balance of a Hypothetical Spill of 4,600 bbl of a Likely Lighter Weight Crude Oil Spilled over 12 Hours from an OCS Pipeline Break at Vioska Knoll Block 948 during Winter Conditions | 32 |
| 4-14 | Mass Balance of a Hypothetical Spill of 4,600 bbl of a Likely Heavier Weight Crude Oil Spilled over 12 Hours from an OCS Pipeline Break at Mississippi Canyon Block 952 during Summer Conditions | 33 |
| 4-15 | Typical Slick Shape | 34 |
| 4-16 | Oil Weathering at Sea | 35 |
| 4-17 | Relative Importance of Weathering Processes Over Time | 35 |
| 4-18 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Gulf States' Shorelines (by County and Parish) within 10 or 30 Days as a Result of a Proposed Action | 36 |
| 4-19 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Gulf States' Offshore Waters or Recreational Beach Areas within 10 or 30 Days as a Result of a Proposed Action | 37 |
| 4-20 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting the Surface Waters overlying and Surrounding Offshore Environmental Features or Reaching Boundary Targets within 10 or 30 Days as a Result of a Proposed Action | 38 |
| 4-21 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Marine Mammal Habitats within 10 or 30 Days as a Result of a Proposed Action | 39 |
| 4-22 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Manatee Habitats within 10 or 30 Days as a Result of a Proposed Action | 40 |
| 4-23 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Known Locations of Gulf Sturgeon within 10 or 30 Days as a Result of a Proposed Action | 40 |
| 4-24 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Sea Turtle Habitats within 10 or 30 Days as a Result of a Proposed Action | 41 |
| 4-25 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Endangered Beach Mice Habitats within 10 or 30 Days as a Result of a Proposed Action | 42 |
| 4-26 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Snowy Plover Habitat within 10 or 30 Days as a Result of a Proposed Action | 43 |
| 4-27 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Piping Plover Habitat within 10 or 30 Days as a Result of a Proposed Action | 43 |

| | | |
|------|--|----|
| 4-28 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Whooping Crane Habitat within 10 or 30 Days as a Result of a Proposed Action | 43 |
| 4-29 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Brown Pelican Habitat within 10 or 30 Days as a Result of a Proposed Action | 44 |
| 4-30 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Bald Eagle Habitat within 10 or 30 Days as a Result of a Proposed Action | 44 |
| 4-31 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Raptor Bird Habitat within 10 or 30 Days as a Result of a Proposed Action | 44 |
| 4-32 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Gull, Terns, and Charadriid Allies Habitats within 10 or 30 Days as a Result of a Proposed Action | 45 |
| 4-33 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Charadriid Shoreline Bird Habitats within 10 or 30 Days as a Result of a Proposed Action | 45 |
| 4-34 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Diving Bird Habitats within 10 or 30 Days as a Result of a Proposed Action | 45 |
| 4-35 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Wading Bird Habitats within 10 or 30 Days as a Result of a Proposed Action | 46 |
| 4-36 | Probabilities of Offshore Spills ($\geq 1,000$ bbl) Occurring over the Life of a Proposed Action and Contacting Waterfowl Habitats within 10 or 30 Days as a Result of a Proposed Action | 46 |
| A-1 | Temperature vs. Salinity Based on Data Collected in the Eastern Gulf of Mexico during the Synoptic Gulfwide R/V Hidalgo Cruise 62-H-3, February-March 1962 | 47 |

LIST OF TABLES

| | Page |
|--|------|
| Chapter 2 | |
| 2-1 Military Contacts | 51 |
| Chapter 3 | |
| 3-1 National Ambient Air Quality Standards | 52 |
| 3-2 Historical and Current Benthic Sampling Stations in the Proposed Lease Sale Area | 53 |
| 3-3 Known Locations of Significant Chemosynthetic Communities in the Gulf of Mexico | 53 |
| 3-4 Marine Mammal Taxa of the Northern Gulf of Mexico | 54 |
| 3-5 Sea Turtle Taxa of the Northern Gulf of Mexico | 55 |
| 3-6 The 21 Most Abundant Families in Ichthyoplankton Samples from Quadrants of the Gulf of Mexico | 56 |
| 3-7 Dominant Taxa taken in Collections from the DeSoto Canyon Area during Nine SEAMAP Spring Survey Cruises in April and May 1986-1993 | 56 |
| 3-8 Dominant Taxa taken in Collections from the DeSoto Canyon Area during Ten SEAMAP Fall Survey Cruises in September 1986-1994 | 57 |
| 3-9 Percent Occurrence and Mean Abundance of Tuna Larvae in Collections from the DeSoto Canyon Area and Gulfwide during SEAMAP Spring and Fall Survey Cruises | 57 |
| 3-10 Percent Occurrence and Mean Abundance of Tuna Larvae in Collections from the DeSoto Canyon Area and Gulfwide during SEAMAP Spring and Fall Survey Cruises | 58 |
| 3-11 Gulf of Mexico Essential Fish Habitat Assessment (species under Gulf of Mexico Fishery Management Plans in the proposed lease sale area) | 59 |
| 3-12 Gulf of Mexico Essential Fish Habitat Assessment (highly migratory species managed by NMFS in the proposed lease sale area) | 60 |
| 3-13 Number of Marine Recreational Fishermen and Fishing Trips | 61 |
| 3-14 Historic Shipwrecks within the Proposed Lease Sale Area | 61 |
| 3-15 Shipwrecks in Alabama State Waters | 62 |
| 3-16 Onshore Expenditure Allocations by Coastal Subarea | 63 |
| 3-17 Demographic and Employment Baseline Projections for the United States | 64 |
| 3-18 Demographic and Employment Baseline Projections for Texas | 65 |
| 3-19 Demographic and Employment Baseline Projections for Coastal Subarea TX-1 | 66 |
| 3-20 Demographic and Employment Baseline Projections for Coastal Subarea TX-2 | 67 |
| 3-21 Demographic and Employment Baseline Projections for Louisiana | 68 |
| 3-22 Demographic and Employment Baseline Projections for Coastal Subarea LA-1 | 69 |
| 3-23 Demographic and Employment Baseline Projections for Coastal Subarea LA-2 | 70 |
| 3-24 Demographic and Employment Baseline Projections for Coastal Subarea LA-3 | 71 |
| 3-25 Demographic and Employment Baseline Projections for Mississippi | 72 |
| 3-26 Demographic and Employment Baseline Projections for Alabama | 73 |
| 3-27 Demographic and Employment Baseline Projections for Coastal Subarea MA-1 | 74 |
| 3-28 Demographic and Employment Baseline Projections for Florida | 75 |
| 3-29 Demographic and Employment Baseline Projections for Coastal Subarea FL-1 | 76 |
| 3-30 Demographic and Employment Baseline Projections for Coastal Subarea FL-2 | 77 |
| 3-31 Demographic and Employment Baseline Projections for Coastal Subarea FL-3 | 78 |
| 3-32 Demographic and Employment Baseline Projections for Coastal Subarea FL-4 | 79 |
| 3-33 Depth and Number of Trips (1999) for OCS-Related Waterways | 80 |

| | | |
|------|--|----|
| 3-34 | Freight Traffic (1999) for OCS-Related Waterways | 81 |
| 3-35 | Typical Gulf of Mexico Vessel Specifications | 82 |
| 3-36 | OCS-Related Service Bases | 83 |
| 3-37 | Existing Coastal Infrastructure Related to OCS Program Activities in the Gulf of Mexico by Coastal Subarea | 84 |

Chapter 4

| | | |
|------|--|-----|
| 4-1 | Projected Oil and Gas Production in the Gulf of Mexico OCS | 85 |
| 4-2 | Offshore Scenario Information Related to a Proposed Action in the Eastern Planning Area..... | 86 |
| 4-3 | Offshore Scenario Information Related to OCS Program Activities in the Gulf of Mexico for the Years 2003-2042 | 87 |
| 4-4 | Offshore Scenario Information Related to OCS Program Activities in the Eastern Planning Area for the Years 2003-2042 | 88 |
| 4-5 | Offshore Scenario Information Related to OCS Program Activities in the Central Planning Area for the Years 2003-2042 | 89 |
| 4-6 | Offshore Scenario Information Related to OCS Program Activities in the Western Planning Area for the Years 2003-2042 | 90 |
| 4-7 | Coastal Infrastructure Related to OCS Program Activities in the Gulf of Mexico for the Years 2003-2042 by Coastal Subarea | 91 |
| 4-8 | Average Volumes of Fluids (muds) and Cuttings Projected for a Typical Exploration Well or Development Well in the Proposed Lease Sale Area | 92 |
| 4-9 | Annual Volume of Produced Water Discharged Overboard on the OCS from 1996 to 2000 | 93 |
| 4-10 | Average Annual Emission Rates from OCS Infrastructures in the Gulf of Mexico | 93 |
| 4-11 | Average Annual Emission Rates from OCS Infrastructures in the Eastern Planning Area | 93 |
| 4-12 | OCS Louisiana Study Area Pipeline Landloss Trend | 94 |
| 4-13 | 2000 Cleanup Totals: People, Pounds, and Miles | 94 |
| 4-14 | Annual Inputs of Petroleum Hydrocarbons to Gulf of Mexico Waters from Various Sources | 95 |
| 4-15 | Projected Annual Oil Spill Occurrence within Coastal and Offshore Waters of the Gulf of Mexico | 96 |
| 4-16 | Projected Total OCS Emissions Related to a Proposed Action by Source | 97 |
| 4-17 | Projected Total OCS Emissions Related to a Proposed Action by Offshore Subarea | 97 |
| 4-18 | Projected Peak-Year OCS Emissions Related to a Proposed Action by Source | 98 |
| 4-19 | Projected Peak-Year OCS Emissions Related to a Proposed Action by Offshore Subarea | 98 |
| 4-20 | Results of Concentration Estimates and the Corresponding Maximum Allowable Increases, Class I Areas | 99 |
| 4-21 | Results of Concentration Estimates and the Corresponding Maximum Allowable Increases, Class II Areas | 99 |
| 4-22 | Population Projected for a Proposed Lease Sale | 100 |
| 4-23 | Population Projected for a Proposed Lease Sale as a Percent of Total Population | 101 |
| 4-24 | Employment (Direct, Indirect, and Induced) Projected for a Proposed Lease Sale | 102 |
| 4-25 | Employment (Direct, Indirect, and Induced) Projected for a Proposed Lease Sale as a Percent of Total Employment | 103 |
| 4-26 | Past OCS Oil Spills, 1985-1999 | 104 |
| 4-27 | Offshore Spills $\geq 1,000$ bbl, 1964-2000, from Accidents Associated with OCS Facility Operations | 105 |
| 4-28 | Offshore Spills $\geq 1,000$ bbl, 1964-2000, from Accidents Associated with OCS Pipeline Oil Transport | 106 |
| 4-29 | Offshore Spill Rates Used to Estimate the Potential for Future Spills | 107 |

| | | |
|------|--|-----|
| 4-30 | Probability of One or More Offshore Spills Occurring and the Number of Assumed Offshore Spills Occurring from a Facility, Pipeline, or Tanker Accident as a Result of the OCS Program (2003-2042) | 108 |
| 4-31 | Number of Assumed Offshore Spills Occurring, the Probability of the Number of Offshore Spills Occurring, the Probability of One or More Offshore Spills Occurring, and the Assumed Offshore Spills Size Occurring as a Result of a Proposed Action | 109 |
| 4-32 | Number of Assumed Offshore Spills Occurring in Louisiana Coastal Waters from a Support Operation Accidents as a Result of a Proposed Action | 110 |
| 4-33 | Probability of a Particular Number of Offshore Spills Occurring from OCS Facility Operations and/or OCS Pipelines as a Result of a Proposed Action | 111 |
| 4-34 | Probability of One or More Offshore Spills $\geq 1,000$ bbl Occurring and Contacting Environmental Resource Habitats, Offshore Features, Beach Areas, or Parish Shorelines within 10 or 30 Days as a Result of a Proposed Action..... | 112 |
| 4-35 | Surface Area Covered and Length of Shoreline Contacted as a Function of Time for a Hypothetical Spill of 4,600 bbl of Neptune Composite Oil Spilled Over 12 Hours from an OCS Pipeline Break in DeSoto Canyon Block 884 during the Summer (represents the minimum volume of oil remaining in a slick as a function of time for EPA conditions) | 113 |
| 4-36 | Surface Area Covered or Length of Shoreline Contacted as a Function of Time for a Hypothetical Spill of 4,600 bbl of Heavy Arabian Crude Spilled Over 12 Hours from an OCS Pipeline Break DeSoto Canyon Block 225 during the Winter (represents the maximum volume of oil remaining in slick as a function of time for EPA conditions) | 113 |
| 4-37 | Surface Area Covered and Length of Shoreline Contacted as a Function of Time for a Hypothetical Spill of 4,600 bbl of Neptune Composite Oil Spilled Over 12 Hours from an OCS Pipeline Break in Vioska Knoll Block 948 during the Winter (represents the minimum volume of oil remaining in slick as a function of time for CPA conditions) | 114 |
| 4-38 | Surface Area Covered or Length of Shoreline Contacted as a Function of Time for a Hypothetical Spill of 4,600 bbl of Heavy Arabian Crude Spilled Over 12 Hours from an OCS Pipeline Break at Mississippi Canyon Block 952 during the Summer (represents the maximum volume of oil remaining in slick as a function of time for CPA conditions) | 114 |
| 4-39 | Employment Associated with the Clean Up and Remediation of a Scenario Spill | 115 |
| 4-40 | Employment Associated with the Clean Up and Remediation of a Small Spill | 115 |
| 4-41 | Projected Total OCS Emissions Related to the OCS Program in the EPA by Source for the Years 2003-2042 | 116 |
| 4-42 | Projected Total OCS Emissions Related to the OCS Program in the CPA by Source for the Years 2003-2042 | 117 |
| 4-43 | Projected Total Emissions Related to the OCS Program in the EPA by Subarea for the Years 2003-2042 | 118 |
| 4-44 | Projected Total Emissions Related to the OCS Program in the CPA by Subarea for the Years 2003-2042 | 119 |
| 4-45 | Projected Peak-Year Emissions Related to the OCS Program in the EPA by Source for the Years 2003-2042 | 120 |
| 4-46 | Projected Peak-Year Emissions Related to the OCS Program in the CPA by Source for the Years 2003-2042 | 121 |
| 4-47 | Projected Peak-Year Emissions Related to OCS Program in the EPA by Subarea for the Years 2003-2042 | 122 |

| | | |
|------|--|-----|
| 4-48 | Projected Peak-Year Emissions Related to OCS Program in the CPA by Subarea for the Years 2003-2042 | 123 |
| 4-49 | Class I Air Quality Area Results of Concentration Estimates from OCS Emissions and Corresponding Maximum Allowable Increases for the Years 2003-2042 | 124 |
| 4-50 | Class II Air Quality Areas Results of Concentration Estimates for OCS Emissions and Corresponding Maximum Allowable Increases for the Years 2003-2042 | 124 |
| 4-51 | Gulf Ecological Management Site (GEMS) Areas | 125 |
| 4-52 | Recommended mitigation techniques used to avoid or reduce adverse impact to wetlands by pipelines, canals, dredging, and dredged material placement | 126 |
| 4-53 | Population Projected for the OCS Program | 129 |
| 4-54 | Population Projected for the OCS Program as a Percent of Total Population | 130 |
| 4-55 | Employment (Direct, Indirect, and Induced) Projected for the OCS Program | 131 |
| 4-56 | Employment (Direct, Indirect, and Induced) Projected for the OCS Program as a Percent of Total Employment | 132 |
| A-1 | Watermasses in the Eastern Gulf of Mexico | 133 |
| A-2 | Climatological Data for Selected Gulf Coast Locations | 133 |
| A-3 | Summary of the Most Damaging Hurricanes in the Gulf of Mexico (1900-1999) | 134 |